ANNALS

OF THE

Entomological Society of America

VOLUME 50—1957

Published by the
ENTOMOLOGICAL SOCIETY OF AMERICA
Formed in 1953 by Consolidation of the
American Association of Economic Entomologists
(1889–1952)
and the former
Entomological Society of America
(1906–1952)

ENTOMOLOGICAL SOCIETY OF AMERICA

OFFICERS FOR 1957

President—H. M. Armitage, Sacramento, Calif.

President-elect—R. L. Metcalf, Riverside, Calif.

Executive Secretary—Robert H. Nelson, 1530 P St., N.W., Washington 5, D.C.

GOVERNING BOARD*

H. M. Armitage, Sacramento, Calif. (1958)

J. W. Apple, Madison, Wis.
(North Central, 1957)

C. P. Clausen, Riverside, Calif.
(C, 1958)

F. W. Fletcher, Midland, Mich.
(F, 1958)

M. P. Jones, Washington, D.C.
(E, 1959)

C. W. Kearns, Urbana, Ill.
(B, 1957)

K. L. Knight, Washington, D.C.
(D, 1959)

E. H. Littooy, Sausalito, Calif.
(Pacific, 1959)

C. M. Meadows, Waco, Tex.
(Southwestern, 1958)

R. L. Metcalf, Riverside, Calif.
(1959)

R. H. Nelson, Washington, D.C.
(non-voting)

P. W. Oman, Beltsville, Md.
(A, 1957)

B. B. Pepper, New Brunswick, N.J.
(Eastern, 1958)

B. A. Porter, Beltsville, Md.
(1957)

O. I. Snapp, Fort Valley, Ga.
(Cotton States, 1959)

* Section or Branch represented and year term expires shown in parentheses.

Branch Chairmen

Laurence S. Jones, Riverside, Calif.—(Pacific Branch)

Norman Allen, Florence, S.C.—(Cotton States Branch)

C. C. Alexander, Ardsley, N.Y.—(Eastern Branch)

D. A. Wilbur, Manhattan, Kans.—(North Central Branch)

C. R. Parencia, Waco, Tex.—(Southwestern Branch)

Branch Chairmen-Elect

Leslie M. Smith, Davis, Calif.—(Pacific Branch)

C. G. Lincoln, Fayetteville, Ark.—(Cotton States Branch)

Neely Turner, New Haven, Conn.—(Eastern Branch)

R. E. Hill, Lincoln, Nebr.—(North Central Branch)

R. R. Walton, Stillwater, Okla.—(Southwestern Branch)

Branch Secretaries

H. H. Keifer, Sacramento, Calif.—(Pacific Branch)

M. E. Merkl, Leland, Miss.—(Cotton States Branch)

Byrley F. Driggers, New Brunswick, N.J.—(Eastern Branch)

C. W. Wingo, Columbia, Mo.—(North Central Branch)

Sherman W. Clark, Houston, Tex.—(Southwestern Branch)

TABLE OF CONTENTS—VOLUME 50

ALEXANDER, RICHARD D.—The Taxonomy of the Field Crickets of the Eastern United States (Orthoptera: Gryllidae: Acheta) (Nov.) 584

ALLEN, RICHARD K., See GEORGE F. EDMUNDS, JR. (July) 317

ALLRED, DORALD M.—The Male, Deutonymph and Protonymph of the Mite *Eubrachylaelaps circularis* (Ewing) (Acarina: Laelaptidae) with Notes on Morphological Variations (March) 206

ANASTOS, GEORGE, See RICHARD F. DARSIE, JR. (May) 295

ANDERSON, L. D., See E. L. ATKINS, JR. (May) 251

ARCHIBALD, KALMAN DALE—Report of the Forest Aphidae (Homoptera) of Nova Scotia together with Species and Host Plant Lists (Jan.) 38

AREEKUL, SUTHARM—The Comparative Internal Larval Anatomy of Several Genera of Scarabaeidae (Coleoptera) (Nov.) 562

ASHLOCK, PETER D.—An Investigation of the Taxonomic Value of the Phallus in the Lygaeidae (Hemiptera-Heteroptera) (July) 407

ATKINS, E. L., JR., M. H. FROST, JR., L. D. ANDERSON, and A. S. DEAL—The "Omnivorous Leaf Roller," *Platynota stultana* Wlshm., on Cotton in California: Nomenclature, Life History, and Bionomics (Lepidoptera, Tortricidae) (May) 251

BALDUF, W. V.—Variations in *Megastigmus* from Rose Hips (Torymidae, Hymenoptera) (Sept.) 478

BARSA, MARY C. See DANIEL LUDWIG (March) 128

BARSA, MARY C., See DANIEL LUDWIG (Sept.) 475

BEAUDETTE, F. R., See E. GALLARDO (March) 192

BECK, STANLEY D., AND J. F. STAUFFER—The European Corn Borer, *Pyrausta nubilalis* (Hubn.) and Its Principal Host Plant. III. Toxic Factors Influencing Larval Establishment (March) 166

BECK, STANLEY D.—The European Corn Borer, *Pyrausta nubilalis* (Hubn.), and Its Principal Host Plant. IV. Larval Saccharotrophism and Host Plant Resistance (May) 247

BELKIN, JOHN N., AND WILLIAM A. MCDONALD—A New Species of *Aedes* (*Ochlerotatus*) from Tree Holes in Southern Arizona and a Discussion of the *varipalpus* complex (Diptera: Culicidae) (March) 179

BOHART, R. M., AND R. K. WASHINO—Differentiation of Second and Third Stage Larvae of California *Culex* (Diptera: Culicidae) (Sept.) 459

BRELAND, OSMOND P.—Variations in the Larvae of *Culex stigmatosoma* Dyar with Notes on Similar Species (Diptera: Culicidae) (March) 175

BRENNAN, JAMES M., See P. H. VERCAMMEN-GRANDJEAN (Sept.) 484

BROOKS, MARION A.—Succinoxidase in the American Cockroach (March) 122

BURNS, MARY-LOUISE, See DANIEL LUDWIG (May) 244

CALLAHAN, PHILIP S.—Oviposition Response of the Imago of the Corn Earworm, *Heliothis zea* (Boddie), to Various Wave Lengths of Light (Sept.) 444

CAMRAS, SIDNEY—A Review of the New World *Physocephala* (Diptera: Conopidae) (May) 213

DARSIE, RICHARD F., JR., AND GEORGE ANASTOS—Geographical Distribution and Hosts of *Ixodes texanus* Banks (Acarina, Ixodidae) (May) 295

DARSIE, RICHARD F., JR.—Notes on American Mosquito Pupae II. The *Aedes* (*Ochlerotatus*) *punctor* Subgroup, with a Key to Known Nearctic *Aedes* Pupae (Diptera, Culicidae) (Nov.) 611

DAVIES, D. M., AND B. V. PETERSON—Black Flies over Lakes (Simuliidae, Diptera) (Sept.) 512

DAVIS, G. R. F.—Growth and Feeding Behavior of Larvae of *Ctenicera aeripennis destructor* (Brown) (Coleoptera: Elateridae). I. Effects of Carrot Slices and Seeds of Wheat, Flax, Barley, Rye, and Alfalfa (Nov.) 578

DAVIS, NORMAN T.—Contributions to the Morphology and Phylogeny of the Reduvioidea (Hemiptera: Heteroptera). Part I. The Morphology of the Abdomen and Genitalia of Phymatidae (Sept.) 432

DEAL, A. S., See E. L. ATKINS, JR. (May) 251

DEAN, H. A.—Predators of *Oligonychus pratensis* (Banks), Tetranychidae (March) 164

DORSEY, C. K., See H. A. WILSON (July) 399

DRAKE, CARL J., AND JAMES A. SLATER—The Phylogeny and Systematics of the Family Thaumastocoridae (Hemiptera: Heteroptera) (July) 353

EBELING, WALTER, AND ROY J. PENCE—The Use of Pesticides in the Preparation of Insects and Mites for Photography (Nov.) 637

EDMUNDS, GEORGE F., JR., AND RICHARD K. ALLEN—A Checklist of the Ephemeroptera of North America North of Mexico (July) 317

EVANS, DAVID—A Revision of the Genus *Poecilonota* in America North of Mexico (Coleoptera: Buprestidae) (Jan.) 21

FAIRCHILD, G. B., AND MARSHALL HERTIG—Notes on the *Phlebotomus* of Panama XIII. The *vexator* Group, with Descriptions of New Species from Panama and California (July) 325

FENTON, F. A., AND D. E. HOWELL—A Comparison of Five Methods of Sampling Alfalfa Fields for Arthropod Populations (Nov.) 606

FORGASH, A. J., See E. GALLARDO (March) 192

FORGASH, ANDREW, See WILLIAM MCENROE (Sept.) 429

FRICK, KENNETH E.—Nomenclatural Changes and Type Designations of Some New World Agromyzidae (Diptera) (March) 198

FROST, M. H., JR., See E. L. Atkins, Jr. (May) 251

FROST, S. W., AND J. O. PEPPER—Aphids Attracted to Light Traps (Nov.) 581

GALLARDO, E., A. J. FORGASH, AND F. R. BEAUDETTE—An Exploratory Investigation of the Effect *in vivo* and *in vitro* of Cockroach Tissues on the Viability of Newcastle Disease Virus (March) 192

GIBSON, FRED J., See DON W. MICKS (Sept.) 500

GRAY, I. E., See ELIZABETH A. MCMAHAN (Jan.) 62

HAMMEN, CARL S.—A Growth-Promoting Effect of Cholesterol in the Diet of Larvae of the House Fly, *Musca domestica* L. (March) 125

HARWOOD, ROBERT F., AND WILLIAM R. HORSFALL—Development, Structure, and Function of Covering of Eggs of Floodwater Mosquitoes. I. Ovarian Development (Nov.) 555

HAYDAK, MYKOLA H.—The Food of the Drone Larvae. (Jan.) 73

HERTIG, MARSHALL, See G. B. FAIRCHILD (July) 325

HOOGSTRAAL, HARRY—Bat Ticks of the Genus *Argas* (Ixodoidea, Argasidae). 2. *Secretargas* New Subgenus and *A. transgariepinus* White, 1846, Its Adult and Immature Stages; with a Definition of the Subgenus *Argus* (Nov.) 544

HORSFALL, WILLIAM R., See ROBERT F. HARWOOD (Nov.) 555

HOWDEN, HENRY F.—Investigations on Sterility and Deformities of *Onthophagus* (Coleoptera, Scarabaeidae) Induced by Gamma Radiation (Jan.) ... 1
HOWELL, D. E., See F. A. FENTON (Nov.) ... 606

JAMES, MAURICE T.—Some Characteristic Ethiopian Elements of the Stratiomyinae (Diptera, Stratiomyidae) (Jan.) ... 9
JAMES, MAURICE T.—The Larva of *Cyphomyia* (Diptera, Stratiomyidae) and Its Significance in Classification (Nov.) ... 639
JAMNBACK, HUGO, AND ALAN STONE—A First Record of *Simulium* (*Eusimulium*) *congareenarum* (D. & S.) from New York, with Descriptions of the Male, Female, Pupa, and Larva (July) ... 395
JENSEN, DINNIEMAUD VIRGINIA, AND JACK COLVARD JONES—The Development of the Salivary Glands in *Anopheles albimanus* Wiedemann (Diptera, Culicidae) (Sept.) ... 464
JONES, JACK COLVARD—A simple Method for Sexing Living *Anopheles* larvae (Diptera, Culicidae) (Jan.) ... 104
JONES, JACK COLVARD, See DINNIEMAUD VIRGINIA JENSEN (Sept.) ... 464

KRANTZ, GERALD W.—*Dolichocybe keiferi*, a New Genus and New Species of Pyemotid Mite, with a Description of a New Species of *Siteroptes* (Acarina: Pyemotidae) (May) ... 259
KRING, JAMES B.—Oviposition Response of *Limonius agonus* (Say) (Coleoptera, Elateridae) to Sand Particle Size (July) ... 392

LEWALLEN, LAWRENCE L.—Paper Chromatography Studies of the *Anopheles maculipennis* Complex in California (Diptera: Culicidae) (Nov.) ... 602
LUDWIG, DANIEL, AND MARY C. BARSA—Effects of Added Substrates and Inhibitors on Homogenate Respiration During the Metamorphosis of the Mealworm, *Tenebrio molitor* Linnaeus (March) ... 128
LUDWIG, DANIEL, SISTER KATHLEEN TRACEY, AND MARY-LOUISE BURNS—Ratios of Ions Required to Maintain the Heart Beat of the American Cockroach, *Periplaneta americana* Linnaeus (May) ... 244
LUDWIG, DANIEL, AND MARY C. BARSA—Respiratory Metabolism of Homogenates During the Embryonic Development of the Mealworm, *Tenebrio molitor* Linnaeus, with Added Substrates and Inhibitors (Sept.) ... 475

MACNEILL, C. DON, See JEROME G. ROZEN, JR. (Sept.) ... 522
MARTIN, CHARLES H., See J. Wilcox (July) ... 376
MCDONALD, WILLIAM A., See JOHN N. BELKIN (March) ... 179
MCDONALD, WILLIAM A.—The Adults and Immature Stages of *Aedes muelleri* Dyar (Diptera: Culicidae) (Sept.) ... 505
MCDONALD, WILLIAM A.—The Adults and Immature Stages of *Aedes purpureipes* Aitken (Diptera: Culicidae) (Sept.) ... 529
MCENROE, WILLIAM, AND ANDREW FORGASH—The *in vivo* Incorporation of C^{14} Formate in the Ureide Groups of Uric Acid by *Periplaneta americana* (L.) (Sept.) ... 429
MCMAHAN, ELIZABETH A., AND I. E. GRAY—Variations in a Local Population of the Dragonfly *Helocordulia* (Jan.) ... 62
MEDLER, J. T., AND T. W. KOERBER—Biology of *Dipogon sayi* Banks (Hymenoptera, Pompilidae) in Trapnests in Wisconsin (Nov.) ... 621
MICKS, DON W., AND FRED J. GIBSON—The Characterization of Insects and Ticks by Their Free Amino Acid Patterns (Sept.) ... 500
MOORE, THOMAS E., AND HERBERT H. ROSS—The Illinois Species of *Macrosteles*, with an Evolutionary Outline of the Genus (Hemiptera, Cicadellidae) (March) ... 109
MOORE, THOMAS E., See HERBERT H. ROSS (March) 118
MULLA, MIR S.—The Biology of *Typhlocyba prunicola* Edwards and *T. quercus* (Fabricius) (Cicadellidae-Homoptera) (Jan.) ... 76

NEWKIRK, MAURICE RAY—On the Black-Tipped Hangingfly (Mecoptera, Bittacidae) (May) ... 302

O'BRIEN, R. D.—Esterases in the Semi-Intact Cockroach (May) ... 223
OKADA, YOSHIO, See MASAMI OGATA (May) ... 237
OKAGAKI, HIROMU, See MASAMI OGATA (May) ... 237
OGATA, MASAMI, YOSHIO OKADA, HIROMU OKAGAKI, AND ATUHIRO SIBATANI—Male Genitalia of Lepidoptera: Morphology and Nomenclature. III. Appendages pertaining to the tenth somite (May) ... 237

PENCE, ROY J., See WALTER EBELING (Nov.) ... 637
PEPPER, J. O., See S. W. FROST (Nov.) ... 581
PETERSON, B. V., See D. M. DAVIES (Sept.) ... 512
PHILIP, CORNELIUS B.—A New Era in Ideas of Systematic Relationships of World Tabanidae (Diptera) Inaugurated by Mackerras, and Its Impact on Nomenclature of Horseflies of the Western Hemisphere (Nov.) ... 550
PICKARD, EUGENE, See W. E. SNOW (May) ... 306
PRESSER, BRUCE D., AND CHARLES W. RUTSCHKY—The Embryonic Development of the Corn Earworm, *Heliothis zea* (Boddie) (Lepidoptera, Phalaenidae) (March) ... 133

ROEDER, K. D., See B. M. TWAROG (May) ... 231
ROSS, HERBERT H., See THOMAS E. MOORE (March) 109
ROSS, HERBERT H., AND THOMAS E. MOORE—New Species in the *Empoasca fabae* Complex (Hemiptera, Cicadellidae) (March) ... 118
RUTSCHKY, CHARLES W., SEE BRUCE D. PRESSER (March) ... 133
ROZEN, JEROME G., JR.—External Morphological Description of the Larva of *Exomalopsis chionura* Cockerell, Including a Comparison with Other Anthophorids (Hymenoptera: Apoidea) (Sept.) ... 469
ROZEN, JEROME G., JR., AND C. DON MACNEILL—Biological Observations on *Exomalopsis* (Anthophorula) *chionura* Cockerell, Including Comparison of the Biology of *Exomalopsis* with that of Other Anthophorid Groups (Sept.) ... 522

SABROSKY, CURTIS W.—Synopsis of the New World Species of the Dipterous Family Asteiidae (Jan.) ... 43
SEKHAR, P. S.—Mating, Oviposition, and Discrimination of Hosts by *Aphidius testaceipes* (Cresson) and *Praon aguti* Smith, Primary Parasites of Aphids (July) ... 370
SELANDER, RICHARD B.—The Systematic Position of the Genus *Nephrites* and the Phylogenetic Relationships of the Higher Groups of Rhipiphoridae (Coleoptera) (Jan.) ... 88
SHALABY, A. M.—The Homology of the Labium-Hypopharynx Complex of the Larva of *Culex molestus* Forsk. (Diptera: Culicidae) (May) ... 265
SIBATANI, ATUHIRO, See MASAMI OGATA (May) ... 237
SLATER, JAMES A., See CARL J. DRAKE (July) ... 353
SLIFER, ELEANOR H.—The Specialized Heat-Sensitive Areas of the Moroccan Locust, *Dociostaurus maroccanus* (Thunberg), and of Several Closely-related Species (Sept.) ... 496
SNOW, W. E., AND EUGENE PICKARD—Correlation of Vertical and Horizontal Flight Activity of *Mansonia perturbans* with Reference to Marked Changes in Light Intensity (Diptera, Culicidae) (May) ... 306
SRIVASTAVA, P. D.—Observations on the Breeding Habits of *Atractomorpha crenulata* (F.) the Tobacco Grasshopper (Orthoptera, Acrididae) (Jan.) ... 15

STAUFFER, J. F., See STANLEY D. BECK (March) 166
STAY, BARBARA—The Sternal Scent Gland of *Eurycotis floridana* (Blattaria: Blattidae) (Sept.) 514
SIEVSKAL, GEORGE C.—The Postabdomen of Male Acalyptrate Diptera (Jan.) 66
SIONE, ALAN—Notes on Types of Mosquitoes in the Hungarian National Museum (Diptera, Culicidae) (March) 171
SIONE, ALAN, See HUGO JAMNBACK (July) 395

TARSHIS, I. BARRY—The Diverticulum of *Stilbometopa impressa* (Bigot) as a Functioning Organ (Diptera: Hippoboscidae) (Sept.) 519
TELFORD, ALLAN D.—The Pasture *Aedes* of Central and Northern California. The Egg Stage: Gross Embryology and Resistance to Desiccation (Nov.) 537
TRACEY, SISTER KATHLEEN, See DANIEL LUDWIG (May) 244
TWAROG, B. M., AND K. D. ROEDER—Pharamocological Observations on the Desheathed Last Abdominal Ganglion of the Cockroach (May) 231

VERCAMMEN-GRANDJEAN, P. H., AND JAMES M. BRENNAN—Eight New Chiggers from East Africa and a New Genus, *Trombigastia* (Acarina: Trombiculidae) (Sept.) 484

WADLEY, F. M.—Some Mathematical Aspects of Insect Dispersion (May) 230
WALKER, THOMAS J., JR.—Specificity in the Response of Female Tree Crickets (Orthoptera, Gryllidae Oecanthinae) to Calling Songs of the Males (Nov.) 626
WALZ, A. J.—Observations on the Biologies of Some Hymenopterous Parasites of the Cabbage Seedpod Weevil in Northern Idaho (May) 219
WARD, RONALD A.—A Study of the Host Distribution and Some Relationships of Mallophaga Parasitic on Birds of the Order Tinamiformes. Part I. (July) 335
WARD, RONALD A.—A Study of the Host Distribution and Some Relationships of Biting Lice (Mallophaga) Parasitic on Birds of the Order Tinamiformes. Part II. (Sept.) 452
WASHINO, R. K., See R. M. BOHART (Sept.) 459
WEAVER, NEVIN—Effects of Larval Age on Dimorphic Differentiation of the Female Honey Bee (May) 283
WHELDEN, ROY M.—Notes on the Anatomy of *Rhytidoponera convexa* Mayr (*"violacea"* Forel) (Hymenoptera, Formicidae) (May) 271
WILCOX, J., AND CHARLES H. MARTIN—Nannocyrtopogon (Diptera-Asilidae) (July) 376
WILSON, H. A., AND C. K. DORSEY—Studies on the Composition and Microbiology of Insect Spittle (July) 399

ZIMMERMAN, ELWOOD C.—The Portulaca Leafmining Weevil, *Hypurus bertrandi*, in Hawaii (Coleoptera: Curculionidae: Ceutorhynchinae) (May) 221

Book Reviews 20, 37, 87, 103, 178, 210, 222, 246, 294, 311, 312, 313, 406, 426, 427, 443, 477, 521, 543, 642.

INDEX TO VOLUME 50

All new names are printed in *italics*

Acarina, 206, 259, 295, 484
Aceratagallia uhleri, 609
Acheta
  firma, 586
  fultoni, 586
  pennsylvanica, 586
  rubens, 586
  vernalis, 586
Achorutes humi, 607
Acomatacarus *mutabilis*, 487
Acrididae, 15
Aedes, 302, 464
  aegypti, 466, 500
  atropalpus, 466
  iridipennis, 505
  monticola, 505
  muelleri, 506
  polynesiensis, 500
  purpureipes, 505, 529
  sollicitans, 500
  taeniorhynchus, 500
  trivittatus, 511
  varipalpus, 505
Aedes (Ochlerotatus)
  aboriginis, 615
  abserratus, 618
  atropalpus, 190
  hexodontus, 613
  key to known Nearctic pupae, 619
  monticola, 179
  muelleri, 190
  pulchritarsis, 189
  punctator, 612
  punctodes, 616
  purpureipes, 190
  varipalpus complex, 179
Aedes, development of eggs of,
  aegypti, 558
  stimulans, 558
  trivittatus, 558
  vexans, 558
Aedes, pasture, of California,
  dorsalis, 537
  melanimon, 537
  nigromaculis, 537
  squamiger, 537
Aelothrips bicolor, 610
Aerobacter aerogenes, 401
Agathis gibbosus, 609
Agriotes
  mancus, 392
  obscurus, 393
Agrobacterium tumefaciens, 461
Agromyza
  anthrax, 198
  aristata, 199
  inaequalis, 199
  innominata, 199
  invaria, 199
  nigripes, 199
  parvicornis, 199
  rubi, 199
  subnigripes, 199
Agromyzidae, 198
Alcaligenes viscosus, 401
Alcis simpliciaria, 241
Alternaria sp., 401
Amphorophora
  rubicola, 583
  vaccinii, 583
Anatomy, internal, of Scarabaeidae, 562
Ancyloscelis panamensis, 527
Angerona nigrisparsa, 240
Anoecia corni, 583
Anopheles
  albimanus, 465, 500
  aztecus, 465, 500
  freeborni, 465, 602
  quadrimaculatus, 104, 270, 465, 500
  stephensi, 465
  occidentalis, 602
Anopheles
  albimanus, development of salivary glands in, 464
  maculipennis complex, 602
Anthophoridae, 469
Anthophorinae, 473
Anuraphis
  bakeri, 582
  rosae, 582
Apanteles sp., 258
Aphidae of Nova Scotia, 38
  host plant list, 39
  species list, 41
Aphidius testaceipes, 370, 609
Aphids, attracted to light traps, 581
Aphis
  gossypii, 371, 583
  helichrysi, 583
  maidis, 583
  padi, 583
  pomi, 583
  spiraecola, 583
Aphrophora parallela, 400
Apis mellifera, 609
  effects of larval age on dimorphic differentiation of the female, 283
  food of drone larvae, 73
Apoidea, 469, 522
Arachnoidea, 302, 303
Aranea, 303
Argas
  delicatus, 545
  cucumerinus, 545
  hermanni, 545
  lagenoplastis, 545
  passerinus, 545
  persicus, 545
  reflexus, 544
Argas (*Secretargas*) transgariepinus, 544
Argasidae, 544
Artheneinae, 418
Artheneis foveolata, 412, 418
Asilidae, 376
Asperigillus niger, 401
Asteia, 44
  albovaria, 46
  antennata, 45
  argentinica, 46
  beata, 45
  expansa, 46
  fasciata, 44
  lineifascies, 46
  multipunctata, 45
  plaumanni, 46
  semilunata, 46
  spinosa, 45
  striatifrons, 45
Asteiidae, 43
Astiosoma, 60
  aridum, 60
  flaveolum, 60
  hirtum, 60
  lineatum, 60
Atractomorpha crenulata, breeding habits of, 15
Atylotus, 552
Austrokellogia, 454

Bacillus subtilis, 401
Baclozygum
  bergrothi, 365
  depressum, 354, 364
Bahamia longiceps, 52
Beosus maritimus, 414, 424
Bequaertomyia, 550
Biology of
  Argas transgariepinis, 549
  Dipogon sayi, 621
  eastern field crickets, 592
  eggs of pasture Aedes of California, 537
  Exomalopsis chionura, 522
  Melitoma euglossoides, 528
  other Anthophorid groups, 522
Bittacidae, 302
Bittacus
  apicalis, 302
  strigosus, 302
Blattaria, 514
Blattella germanica, 167, 500
Blattidae, 514
Blissinae, 419
Blissus leucopterus, 412, 419
Book Notices: Authors:
  Acworth, Bernard, 222
  Bohart, Richard M., 406, 543
  Chauvin, R., 426
  Costa Lima, A. da., 20
  Cott, H. Edwin, 312
  Edney, E. B., 521
  Heinrich, Carl, 426
  Johnston, H. B., 477
  Kincaid, Trevor, 246
  MacSwain, J. W., 210
  Marsh, Gordon A., 87
  McKinley, G. Murray, 311
  Möhn, Edwin, 37
  Moore, John A., 443
  Paulian, Renaud, 178
  Ross, Herbert H., 312, 642
  Schlinger, Evert I., 543
  Schuster, Robert O., 87
  Timberlake, P. H., 103
  Tuxen, S. L., 313
  Usinger, Robert L., 210
  Weesner, F. M., 294
Book Notices: Titles:
  A Classification of the First Instar Larvae of the Meloidae (Coleoptera), 210
  A Revision of the Genus Pselaphrichus Brendel (Coleoptera: Pselaphidae), 87
  A Revisional Study of the Bees of the Genus Perdita F. Smith, with Special Reference to the Fauna of the Pacific Coast (Hymenoptera: Apoidea) Part II, 103

A Textbook of Entomology, 642
American Moths of the Subfamily Phycitinae, 426
Annotated Catalogue of African Grasshoppers, 477
Aquatic Insects of California, 210
Atlas des Larves D'Insectes de France. Nauvel Atlas D'Entomologie, No. 10, 178
Beitrage sur Systematik der Larven der Itonididae (=Cecidomyiidae, Diptera), 27
Bird and Butterfly Mysteries, 222
California Wasps of the Genus Oxybelus (Hymenoptera: Sphecidae: Crabroninae), 543
Diptera: Culicidae. Insects of Micronesia, 406
Evolution and Classification of the Mountain Caddisflies, 312
Evolution: The Ages and Tomorrow, 311
Insectos Do Brasil, 20
Notes and Descriptions of American Fresh-Water Calanoid Crustacea, 246
Physiologie de L'Insecte, 426
Principles of Zoology, 443
Systematics of the Suborder Tubulifera (Thysanoptera) in California, 312
Taxonomist's Glossary of Genitalia in Insects, 313
The Ant Plant, Orthocarpus pusillus Bentham. A Seemingly New Chapter in the Ecological Relationship between Ants and Plants, 246
The Biology of Colony Foundation in Reticulitermes hesperus Banks, 294
The Water Relations of Terrestrial Arthropods, 521
Botrytis cinerea, 401
Buprestidae, 21

Caenurgina erechtea, 609
Calaphis betulaecolens, 582
Capitophorus
  braggii, 582
  flaveolus, 583
  hippophaes, 582
Carcinocoris castetsi, 433
Catolaccus aenoviridis, 257
Cavariella aegopodii, 582
Cephalothecium roseum, 401
Ceutorhynchinae, 221
Ceutorhynchus assimilis, 219
Chaitophorus vimanalis, 583
Chalcosia remota, 241
Chaospes benjamini japonica, 241
Chauliopinae, 421
Chauliops fallax, 421
Chelonus texanus, 609
Cholesterol, growth-promoting effect of in diet of house fly, 125
Chorthippus albomarginatus, heat-sensitive areas of, 497
Chrysopa
  sp., 258
  rufilabris, 165
Chrysops, 550
Chrysozona (=Haematopota), 550
Cicadellidae, 76, 109, 118
Cicindella punctulata, 608
Cinara pilicornis, 582
Clavigerus
  populifoliae, 583
  smithiae, 583
Clerada apicicornis, 423
Coelopidae, 68
Coleoptera, 1, 21, 43, 88, 221, 258, 302, 303, 392, 475, 562, 578
Collembola, 302, 303
Collops
  balteatus, 609
  4-maculata, 609
  margenellus, 258
  spp., 258
Conopidae, 69, 213
Conopinae, 69
Corrodentia, 302, 303
Corynebacterium
  flaccumfaciens, 401
  michiganense, 401
Cosmostola subtiliaria, 240
Cosmotricha albimaculata, 241
Cremastus platynotae, 257
Cremnops vulgaris, 609
Ctenicera aeripennis destructor, growth and feeding of, 578
Cuclotocephalus extraneus, 338
Culex, 302, 464
  anips, 462
  apicalis, 462
  boharti, 462
  erythrothorax, 463
  fatigans, 500
  pipiens, 463, 466, 500
  pipiens fatigans, eggs of, 558
  quinquefasciatus, 176, 463
  reevesi, 462
  restuans, 463
  stigmatosoma, 175, 463
  tarsalis, 176, 463, 500
  territans, 463
  thriambus, 463
Culex molestus, 500
  homology of the labium-hypopharynx complex, 265
Culicidae, 265, 306, 459, 464, 505, 529, 602, 611
Culicidae
  new synonymies, 174
  types of in the Hungarian National Museum, 171
  variations in larvae of Culex stigmatosoma, 175
  varipalpus complex, 179
Culiseta inornata, 500
Curculionidae, 221
Curvularia sp., 401
Cydistomyai, 552
Cyminae, 416
Cymus angustatus, 410, 417
Cyphomyia
  bicarinata 641
  piloissima, 639
Cyphomyiinae, 639

Dasybasis argentina, 554
Dasyommia, 552
Dalmannia nigriceps, 69
Dalmanniinae, 69
Davisonia, 110
Depranura sabulicola, 607
Dermacentor
  albipictis, 500
  andersoni, 500
  variabilis, 500
Development, embryonic, of the mealworm, 475
Deuterosmynthurus sp., 608
Diabrotica 12-punctata howardi, 609
Diadasia, 473
Dichelonyx lateralis, 562
Diplazon laetatorius, 609
Diplodia zeae, 167
Dipogon sayi, 621
Diptera, 9, 66, 104, 171, 175, 179, 198, 213, 265, 302, 303, 306, 376, 395, 459, 464, 505, 512, 519, 529, 537, 550, 555, 602, 611, 639
Dischzocera, 11
  brunneinervis, 12
  nigronotum, 12
  vasta, 13
  zumpti, 12
Discocoris vianai, 369
Discocorpus mexicanus, 338
Dociostaurus, heat-sensitive areas of,
  brevicollis, 497
  genei, 497
  maroccanus, 496
Dolichocybe keiferi, 259
Dorcolaemus, 552
Drepanaphis
  acerifoliae, 582
  carolinensis, 583
  monelli, 583
  parvus, 583
  sabrinae, 582
Drepanosiphum platanoides, 582
Drymus unus, 414, 423
Dryomyza flaveola, 70
Dryomyzida, 70

Elateridae, 392, 578
Emblethis vicarius, 414, 424
Emphorinae, 473
Empoasca fabae, 609
Empoasca fabae complex, 118
  canda, 120
  eccla, 120
  fabae, 119
  hastosa, 119
  kraemeri, 120
  mexara, 121
  panisca, 120
  verdia, 121
Ennomiaae, 240
Entomobrya
  multifasciata, 607
  purpurascens, 607
Ephemeroptera, checklist of, 317
Epicauta
  lemniscata, 609
  unicolor, 609
Epipolops sp., 410, 417
Eriosoma
  americanum, 582
  lanigerum, 582
Errata, 174, 394
Escherichia coli, 401
Esterases, in the semi-intact cockroach, 223
Eubrachylaelaps
  circularis, 206
  debilis, 209
Euceraphis
  betulae, 582
  mucidus, 582
Euerythema spp., 609
Eulalia *subpicta*, 14
Euphoria arenosa, 240

Eurycotis floridana, sternal scent gland of, 514
Euschongastia *striata*, 486
Eutetranychus banksi, 164
Exomalopsis (Anthophorula), 469
  caerulea, 472, 528
  chionura, 469, 523, 528
  solani, 528

Folsomia elongata, 607
Formicidae, 271
Frankliniella occidentalis, 609
Fucomyia vanduzeei, 68

Geocorinae, 420
Geocorus
  pallens, 609
  punctipes, 609
Geometridae, 239
Geometrinae, 240
Geoscopus murinus, 92
Geotrupes blackburni, 572
Germalus samoanus, 421
Glaucopsyche arionides, 241
Glaucops, 552
Goniozus platynote, 257
Graphium, 238
  antiphaetes, 239
  curous, 239
Gryllidae, 584, 626

Habrocytus sp., 220
Habrosyne derasa, 241
Haematopota
  champlaini, 554
  pluvialis, 554
Halpe submacula, 241
Haltica foliacea, 609
Haplomyzatogata, 204
Heliothis zea
  embryonic development of, 133
  oviposition response of to various wavelengths of light, 444
Helocordulia
  selysii, 62
  uhleri, 62
  variations in populations of, 62
Hemiptera, 109, 118, 258, 302, 303, 353, 407, 432
Henestarinae, 420
Henestarris laticeps, 412, 420
Heptapsogaster
  grandis, 338
  minor, 454
  rotundatus, 338
  sp., 338
  temporalis, 338
  testudo, 338
Hesperiidae, 239
Heterogastrinae, 419
Heteroneura, 237
Heteroptera, 353, 407, 432
Heterostomus, 550
Hipparchus papilionaria, 240
Hippoboscidae, 519
Hippodamia convergens, 164, 609
Holcopasites, 473
Homoptera, 38, 76, 302, 303
Hymenoptera, 271, 302, 303, 469, 478, 522, 621
Hyalopterus pruni, 583
Hybomitra
  aequetincta, 554
  cincta, 552
Hylemya ciliicrura, 609
Hypogeocoris picens, 412, 420
Hypurus bertrandi, 221

Insects, characterization of by their free amino acid patterns, 500
Insect dispersion, some mathematical aspects of, 230
Insect spittle, composition and microbiology of, 399
Iphiclides protesilaus, 239
Isotoma viridis var. delta, 607
Ixodes texanus, distribution and hosts of, 295
Ixodidae, 295
Ixodoidea, 544

Jalysus wickhami, 609

Kelloggia, 454
  latithorax, 338
Kleidocerys franciscanus, 410, 417

Lachnus salignus, 583
Laelaptidae, 206
Lampra, 21
Lamprocorpus hirsutus, 338
Larentiinae, 240
Lasiocampidae, 241
Lebia viridis, 609
Leiomyza, 48
  curvinervis, 49
  laegivata, 48
  scatophagina, 50
  wheeleri, 49
Lenzitea trabea, 401
Lepidocyrtus cyaneus,
  var. anescens, 607
  var. cinereus, 607
  var. unifasciatus, 607
Lepidoptera, 133, 166, 251, 302, 303
  male genitalia of, 237
Lethaeus cribatissimus, 414, 423
Lethe sicelis, 241
Leucotabanu, 552
Leuhdorfia japonica, 239
Lichnanthe rathvoni, 562
Light, effect of wave lengths of on oviposition response of corn earworm, 444
Light traps, aphids attracted to, 581
Ligyrocoris sylvestris, 414, 423
Limonius agonus, oviposition response of to sand particle size, 392
Liodontomerus perplexus, 609
Liorhyssus hyalinus, 609
Liriomyza
  chlamydata, 203
  gavi, 203
  lima, 203
  melampyga, 203
  pacifica, 203
  phaseolunata, 204
  trifolii, 204
Loewimyia, 48
  bifurcata, 48
  spp., 48
Longistigma caryae, 583
Loxostege similalis, 609
Lycaenidae, 240
Lygaeidae, taxonomic value of the phallus in, 407
Lygaeus kalmii, 414
Lygris ledereri, 240
Lygus lineolaris, 609

Macrocephalus
  productus, 434
  tuberosus, 433
Macrosiagon sp., 92
Macrosiphum
  ambrosiae, 583
  granarium, 582
  pisi, 582
  pterocolens, 583
  rosae, 371, 582
  solanifolii, 583
Macrosteles, 109
  americana, 110
  arcuata, 115
  bifurcata, 112
  clavata, 115
  cristata, 112
  fascifrons, 112, 609
  jussiaeae, 112
  lepida, 114
  major, 110
  potoria, 114
  snowi, 110
  urticae, 114
  variata, 115
Malcinae, 421
Mallophaga
  host distribution and some relationships on birds (Tinamiformes), 335
  parasitic on Tinamiformes, 452
Mansonia perturbans, correlation of flight activity with marked changes in light intensity, 306
Mecoptera, 302
Megaginus emarginatus, 338
Megapeostus, 454
  clypeiceps, 338
Megastigmus, variations in, 478
  aculeatus, 478
  nigrovariegatus, 478
Melanagromyza
  angelicae, 199
  caerulea, 200
  minima, 200
  setifrons, 200
  simplex, 200
  tamia, 200
  tiliae, 200
  virens, 200
Melanocallis caryaefoliae, 583
Melanoconion, 459
Melanoplus mexicanus, 609
Meliftobia chalybii, 625
Melissodes timberlakei, 469
Melitaea protomedia, 241
Melitoma euglossoides, 469
Meloidae, 88
Menacanthus, 337
Menoponidae, 337
Mermithoidea, 303
Mesomyia, 552
Metapterus, 441
Methods
  for following the hydrolysis of substrates by the cockroach, 223

for determining toxic factors influencing larval establishment of Pyrausta nubilalis, 166
for study of embryonic development of the corn earworm, 133
for studying embryology of eggs of Aedes, 538
for studying oviposition response of the corn earworm, 444
for studying songs of tree crickets, 629
for treatment of large insects with viral preparations, 192
irradiation of Onthophagus texanus, 4
pesticides to prepare insects and mites for photography, 637
sampling alfalfa fields for arthropods, 606
sampling populations of Typhlocyba, 78
sexing living Anopheles larvae, 104
Metoecus paradoxus, 92
Metopomyza interfrontalis, 204
Metrarga (Nesoclimacias) contracta, 416
Merycomyia, 552
Micrococcus pyogenes var. albus, 401
Microctenia, 337
Microsiphum pisi, 609
Mindarus abietinus, 583
Monocrepidius vespertinus, 609
Mosquitoes, floodwater, eggs of, 555
Musca domestica, 125
Myodocha serripes, 414, 424
Myopa
versiculosa, 69
virginica, 69
Myopinae, 69
Myrmica rubra, 274
Myxosargus nigricornis, 641
Myzocallis
alhambra, 582
discolor, 583
tilia, 583
Myzus
lythri, 583
persicae, 371, 582

Nabis
ferus, 258
spp., 609
Nannocyrtopogon
antennatus, 378
aristatus, 379
arnaudi, 379
atripes, 379
bruneri, 380
cerussatus, 380
crumbi, 380
deserti, 380
howlandi, 382
inyoi, 384
irvinei, 384
j-beameri, 385
lestomyiformis, 385
mingusi, 386
minutus, 386
monrovia, 386
neoculatus, 386
nevadensis, 386
nigricolor, 388
nitidis, 388
oculatus, 388
richardsoni, 389
seauoia, 389
stonei, 389
timberlakei, 390
tolandi, 391
vanduzeei, 391
vandykei, 391
Necremnus duplicatus, 220
Neoculex, 459
Neosteles spp., 609
Neostylopyga rhombifolia, 518
Neoxahea bipunctata, 628
Nephrites
catalogue of the species of, 91
systematic position of, 88
Neuroctena anilis, 70
Neuroptera, 258, 302, 303
Newcastle disease virus, 192
Ninus, 417
Noctuidae, 239
Nomada
edwardsii, 529
opacella, 469, 529
Nothocotus genitalis, 338
Notodontidae, 239
Notostaurus anatolicus, heat-sensitive areas of, 497
Nymphalidae, 239
Nymphalis, 240
Nysius
californicus, 410, 416, 609
raphanus, 609

Observations, pharmacological, on the desheathed last abdominal ganglion of the cockroach, 231
Oecanthinae, 626
Oecanthus
angustipennis, 628
argentinus, 627
exclamationis, 628
latipennis, 627
nigricornis, 609, 627
niveus, 629
quadripunctatus, 627
Oedancala dorsalis, 412, 420
Oligonychus pratensis, predators of, 164
Olla abdominalis, 165
Oncopeltis fasciatus, 410, 414
Onthophagus texanus
biology of, 1
effects induced by gamma radiation, 1
Ontiscus australicus, 417
Onymocoris, 361
barberi, 354, 362
hackeri, 354, 361
izzardi, 354, 362
Ophiobolus graminis, 401
Ophiomyia
buscki, 200
fasciculata, 201
lantanae, 201
proboscidea, 201
texana, 201
Oplodontha, 13
albipennis, 14
compar, 14
rubrithorax, 14
selinda, 13
Orius
insidiosus, 164, 609
tristicolor, 258, 609
Ornicholax, 458
olfersi, 338
Orsillus depressus, 410, 416
Orthopodomyia signifera, 505
Orthoptera, 5, 584, 626
Oxycareninae, 418
Oxycarenus hyalipennis, 410, 418

Pachybrachius linearis, 414, 423
Pachygronthinae, 419
Pamphantinae, 418
Pamphantus elegantulus, 412, 419
Pangonius, 554
Papilio macilentus, 239
Papilionidae, 238
Parnassius nomion, 238
Pectenosoma, 454
Pelecorrhynchus, 550
Pelecotoma flavipes, 92
Penicillium
chrysogenum, 167, 249
expansum, 401
Pergandeidatrirhodus, 583
Periphyllus negundinus, 583
Periplaneta, 223, 231
americana, 500
brunnea, 500
effect of tissues on viability of Newcastle disease virus, 192
in vivo incorporation of C^{14} formate in the ureide groups of uric acid by, 429
ratio of ions required to maintain the heartbeat of, 244
succinoxidase in, 122
Peromyscus, 209
Pesticides for preparing insects and mites for photography, 637
Petenosoma yapurae, 338
Phalangida, 302, 303
Phalaenidae, 133
Phallus, taxonomic value of in Lygaeidae, 407
Pherbellia
albocostata, 71
vitalis, 71
Philaenus leucophthalmus, 400
Philopteridae, 337
Phlebosotera, 50
angustigena, 50
peculiaris, 51
setipalpis, 50
shewelli, 51
Phlebotomus
californicus, 328
chiapanensis, 328
hartmanni, 328
imperatrix, 330
noguchii, 330
oppidanus, 330
osornoi, 330
peruensis, 330
pescei, 332
quinquefer, 332
sanguinarius, 332
stewarti, 334
vexator, 334
vexator *occidentis*, 334
vindicator, 334
Phylinae, 441
Phymata
americana americana, 433
americana coloradensis, 433
fortificata, 433
pennsylvanica, 433

Phymatidae, morphology of the abdomen and genitalia of, 432
Physconella, 454
  sp., 338
Physocephala
  bicolor, 216
  bipuncta, 215
  brasiliensis, 216
  brunnipes, 217
  burgessi, 213
  cayennsis, 215
  dimidiatipennis, 218
  ephippium, 218
  fairchildi, 216
  flaviceps, 218
  flavifrons, 215
  floridana, 214
  furcillata, 69, 213
  inhabilis, 215
  lugubris, 218
  maxima, 218
  marginata, 214
  nervosa, 216
  nigrifacies, 217
  picipes, 216
  pulchripennis, 216
  punctum, 217
  rufithorax, 217
  sagittaria, 214
  sericeus, 218
  segethi, 215
  spheniformis, 217
  soror, 213
  testacea, 215
  texana, 213
  thecala, 215
  tibialis, 214
  unicolor, 215
  venusta, 215
  vespiformis, 216
Phytagromyza orbitalis, 204
Phytobia
  (Phytobia) picta, 201
  (Phytobia) pruni, 201
  (Phytobia) setosa, 202
  (Cephalomyza) auriceps, 202
  (Cephalomyza) indecisa, 202
  (Poemyza) angulata, 202
  (Poemyza) muscina, 202
  (Icteromyza) capitata, 202
  (Icteromyza) pollinosa, 202
  (Calycomyza) ipomoeae, 203
  (Trilobomyza) varia, 203
  (Praspedomyza) correntosana, 203
  (Dizygomyza) thompsoni, 203
Phytoliriomyza
  arctica, 204
  immaculata, 204
Phytomyza
  atricornis, 204
  diminuta, 205
  genalis, 205
  ilicicola, 205
  lactuca, 205
  loewii, 205
  minuscula, 205
  plantaginis, 205
  solita, 205
Pieridae, 239
Pilimas, 554
Platynota stultana, life history and bionomics of, 251
Pleocoma crinita, 562
Platyzosteria novaeseelandiae, 518
Poecilonota, 22
  bridwelli, 36
  californica, 26
  cyanipes, 28
  ferrea, 34
  fraseri, 32
  montana, 25
  salicis, 30
  thureura, 35
Poecilus chalcites, 608
Polychisme, 417
Polyphylla decemlineata, 562
Pompilidae, 621
Praon aguti, habits of, 370
Prociphilus
  imbricator, 582
  venafuscus, 583
Prodenia eridania, 167
Pronematus ubiquitus, 165
Pronopes, 552
Psallus seriatus, 609
Pseudolipeurus, 337, 454
Pseudomonas fluorescens, 401
Pseudosinella violenta, 607
Psorophora
  ciliata, 270, 500
  confinnis, 500
Psorophora, development of eggs of,
  ciliata, 558
  ferox, 558
  horrida, 558
Pterocotes, 458
  aberrans, 338
Pteromalidae, 257
Ptilophorus
  dufouri, 95
  sp., 92
Ptilothrix sumichrasti, 469
Pyemotidae, 259
Pyralidae, 239
Pyrausta nubilalis,
  larval saccharotrophism and host plant resistance, 247
  toxic factors influencing larval establishment, 166
Pyrgus malvae, 241

Reduvioidea, morphology and phylogeny of, 432
Reticulitermes hesperus, 637
Rhinotora diversa, 70
Rhinotoridae, 70
Rhiobia chinai, 418
Rhipiphoridae, phylogenetic relationships of the higher groups of, 88
Rhipiphorus sp., 92
Rhizoctonia leguminicola, 401
Rhizopus
  nigricans, 401
  stononifera, 167
Rhopalocera, 240
Rhopaloceras, 458
  brevitemporalis, 338
Rhopalomeridae, 71
Rhopalosiphum
  fitchii, 582
  latysiphon, 583
Riekella, 91
  australis, 91
  maximus, 91
  nitidioides, 91
Rhyparochrominae, 421
Rhytidoponera
  anatomy of convex complex, 271
  metallica, 271
  punctata, 271
  violacea, 271
Saccharotrophism in European corn borer, 247
Sarcina
  flava, 401
  lutea, 401
Satyridae, 239
Scaptia, 552
Scarabaeidae, 1
  internal larval anatomy of, 562
Scarites
  substriatus, 608
  subterraneus, 608
Scepsis, 552
Schongastia *hyracis*, 486
Sciomyzidae, 71
Scolothrips sexmaculatus, 165
Scopula superior, 240
Scymnus natchezianus, 609
Sericinus telamon, 239
Serratia marcenscens, 401
Shaka atrovittata, 241
Sigaloessa, 53
  bicolor, 58
  blantoni, 55
  cinctipes, 54
  flavifrons, 56
  frontalis, 58
  hillifera, 55
  nigra, 55
  nigrifrons, 56
  obscura, 57
  pseudocinctipes, 54
  rica, 57
  schildi, 54
  semiglabra, 56
  sp., 57
Silvius, 553
Simuliidae, 512
Simulium hunteri, 514
Simulium (Eusimulium)
  aureum, 398, 513
  congareenarum, 395
  croxtoni, 513
  euryadminiculum, 513
  gouldingi, 398, 513
  latipes, 398, 513
  pugetense, 398
Simulium (Neosimulium)
  vittatum, 513
Simulium (Simulium)
  decorum, 513
  parnassum, 513
  rugglesi, 513
  tuberosum, 513
  venustum, 513
Sinea diadema, 609
Sineugraphe exusta, 241
Siteroptes *reniformis*, 262
Sminthurides pumilis, 607
Sonronius, 115
Spissistilus festinus, 609
Staphylococcus aureus, 168
Stenodryomyza formosa, 70
Sterrhinae, 240
Stethorus
  punctum, 164
  sp., probably atomus, 164
Stilbometopa impressa, the diverticulum of, 519
Stonemyia, 554
Stratiomyidae, 9, 639
Strongylocotes, 453
  interruptus, 338
Strymon, 241
Succinoxidase in American cockroach, 122
Supella supellectilium, 500

Tabanidae, systematic relationships, 550
Tabaninae
haplocerate, 553
schistocerae, 553
Tabanus, 550
achros, 552
apricus, 551
bovinus, 552
daedalus, 552
petiolatus, 551
yulenus, 551
Taracha virginica, 608
Tenebrio molitor
metabolism of homogenates during metamorphosis, 129
respiratory metabolism of homogenates during embryonic development of, with added substrates and inhibitors, 475
Tetranychidae, 164
Tetranychus telarius, 637
Thaumastocoridae, phylogeny and systematics of, 353
Thaumastocoris, 365
australicus, 354, 366
hackeri, 354, 367
petilus, 354, 367
Thaumatomyia glabra, 609
Thecabius populi-monilis, 582
Therioaphis maculata, 608
Therioplectes, 552
Thyanta pallido-virens accerra, 609
Ticks, characterization of by their free amino acid patterns, 500
Tinamidae, 336
Tinamiformes, Mallophaga on, 452
Tinamotaecola, 337
Tobacco grasshopper, 15
Toposcopus wrighti, 92
Tortricidae, 239, 251
Torymidae, 478
Tree crickets, female, response to calling songs of males, 626
Triatoma
gerstaeckeri, 500
infestans, 500
Trichodopeostus aculeatus, 338
Trichomalus fasciatus, 219
Trigonodera succincta, 92
Trimeromicrus maculatus, 220
Troides aeacus, 239
Trombicula
mini, 486
rossi, 485
ugandae, 484
Trombiculidae, 484
Trombigastia cadei, 487
Tuberculatus
punctatella, 582
ulmifolii, 582
Tucumyia, 58
aczeli, 59
angustigena, 59
linearis, 59
pollinosa, 59
Tylomyza nasuta, 201
Typhlocyba, biology of
prunicola, 76
quercus, 76
Typhlodromus
fallacis, 164
mesembrinus, 165

Vanduzea triguttata, 609
Vanessa, 240

Wechina chinai, 363
Willistoniella pleuropuncta, 71
Whartonia *oweni*, 495

Xanthomonas phaseoli, 401
Xenocrepis pura, 220
Xeromelecta californica, 473
Xylastodorinae, 368
Xylastodoris tuteolus, 354

Zelus renardii, 258
Zeridoneus costalis, 414, 423
Zodion intermedium, 70
Zulumyia, 9
expansa, 10
rugifrons, 11
signifera, 10
Zygaenidae, 241